## ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	SECTION	A – PROPERTY INFOR	RMATION	FOR INSURANCE COMPANY USE	
A1. Building Owner's Name DON CO	LTON			Policy Number:	
A2. Building Street Address (including 34335 HIGHWAY 58	Apt., Unit, Suite, and/or Bldg. N	No.) or P.O. Route and Bo	x No.	Company NAIC Number:	
City GOSHEN		State OR ZIP Code	e 97405		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) 18-03-24-00-06500					
<ul> <li>A4. Building Use (e.g., Residential, No.</li> <li>A5. Latitude/Longitude: Lat. 43.9949</li> <li>A6. Attach at least 2 photographs of th</li> <li>A7. Building Diagram Number 8</li> <li>A8. For a building with a crawlspace of a) Square footage of crawlspace</li> <li>b) Number of permanent flood op or enclosure(s) within 1.0 foot</li> <li>c) Total net area of flood opening</li> <li>d) Engineered flood openings?</li> </ul>	Long. <u>122.9959</u> Horizonta ne building if the Certificate is be r enclosure(s): or enclosure(s) enings in the crawlspace above adjacent grade	al Datum: NAD 1927 eing used to obtain flood in A9. For sq ft a) b) sq in c) d)	surance. a building with an atta Square footage of atta Number of permanent within 1.0 foot above a Total net area of flood Engineered flood oper	ched garage sq ft flood openings in the attached garage adjacent grade openings in A9.b sq in nings? Yes No	
				IN	
B1. NFIP Community Name & Commu LANE COUNTY UNINCORPORATED		County Name E		B3. State OREGON	
B4. Map/Panel Number 41039C1655 F	ix B6. FIRM Index Date JUNE 2, 1999	B7. FIRM Panel Effective Revised Date JUNE 2, 1999	e/ B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 472.5	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. ■ FIS Profile ■ FIRM ■ Community Determined ■ Other/Source: B11. Indicate elevation datum used for BFE in Item B9: ■ NGVD 1929 ■ NAVD 1988 ■ Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ■ Yes ■ No Designation Date:					
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
SEC	TION C – BUILDING ELE	VATION INFORMATION	N (SURVEY REQUI	RED)	
<ol> <li>Building elevations are based on: *A new Elevation Certificate will be</li> <li>Elevations – Zones A1–A30, AE, Al below according to the building diag Benchmark Utilized:</li></ol>	Construction Drawings required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu Ve ne elevations in items a) throug	s* Building Un the building is complete. / (with BFE), AR, AR/A, AF uerto Rico only, enter mete ertical Datum: h h) below. NGVD 1925	der Construction* R/AE, AR/A1–A30, AR/ rrs.	Finished Construction AH, AR/AO. Complete Items C2.a-h	
<ol> <li>Building elevations are based on: *A new Elevation Certificate will be</li> <li>Elevations – Zones A1–A30, AE, Al below according to the building diag Benchmark Utilized:</li> </ol>	Construction Drawings required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu Ve ne elevations in items a) throug	s* Building Un the building is complete. / (with BFE), AR, AR/A, AF uerto Rico only, enter mete ertical Datum: h h) below. NGVD 1925	der Construction* R/AE, AR/A1–A30, AR/ rs. 9  ☐ NAVD 1988  ☐ C	Finished Construction AH, AR/AO. Complete Items C2.a-h	
<ul> <li>C1. Building elevations are based on: *A new Elevation Certificate will be</li> <li>C2. Elevations – Zones A1–A30, AE, Al below according to the building diag Benchmark Utilized:</li> <li>Indicate elevation datum used for th Datum used for building elevations</li> <li>a) Top of bottom floor (including base) ) Top of the next higher floor</li> <li>c) Bottom of the lowest horizontal s</li> <li>d) Attached garage (top of slab)</li> <li>e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grade</li> </ul>	Construction Drawing: required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu ve ne elevations in items a) throug must be the same as that used sement, crawlspace, or enclosu tructural member (V Zones only equipment servicing the buildi location in Comments) next to building (LAG)	s* ☐ Building Un the building is complete. / (with BFE), AR, AR/A, AF uerto Rico only, enter mete ertical Datum: h h) below. ☐ NGVD 1929 I for the BFE. ure floor) y)	der Construction* R/AE, AR/A1–A30, AR/ rs. 9  ☐ NAVD 1988  ☐ C	<ul> <li>Finished Construction</li> <li>AH, AR/AO. Complete Items C2.a–h</li> <li>ather/Source:</li></ul>	
<ul> <li>C1. Building elevations are based on: *A new Elevation Certificate will be</li> <li>C2. Elevations – Zones A1–A30, AE, Al below according to the building diag Benchmark Utilized: Indicate elevation datum used for th Datum used for building elevations</li> <li>a) Top of bottom floor (including bases) b) Top of the next higher floor</li> <li>c) Bottom of the lowest horizontal s</li> <li>d) Attached garage (top of slab)</li> <li>e) Lowest elevation of machinery on (Describe type of equipment and f) Lowest adjacent (finished) grade</li> <li>g) Highest adjacent (finished) grade</li> </ul>	Construction Drawings required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu Ve ne elevations in items a) through must be the same as that used sement, crawlspace, or enclosu tructural member (V Zones only r equipment servicing the buildi location in Comments) next to building (LAG) e next to building (HAG)	s* Building Un the building is complete. / (with BFE), AR, AR/A, AF Jerto Rico only, enter mete ertical Datum: AR/A, AF ertical Datum: AR/A, AF I for the BFE. Jure floor) A y)	der Construction* R/AE, AR/A1–A30, AR/ rs. 9  ☐ NAVD 1988  ☐ C Checl 169 172.6	<ul> <li>Finished Construction</li> <li>AH, AR/AO. Complete Items C2.a–h</li> <li>ather/Source:</li></ul>	
<ul> <li>C1. Building elevations are based on: *A new Elevation Certificate will be</li> <li>C2. Elevations – Zones A1–A30, AE, AI below according to the building diag Benchmark Utilized:</li> <li>Indicate elevation datum used for th Datum used for building elevations</li> <li>a) Top of bottom floor (including bases)</li> <li>b) Top of the next higher floor</li> <li>c) Bottom of the lowest horizontal s</li> <li>d) Attached garage (top of slab)</li> <li>e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grade</li> <li>g) Highest adjacent grade at lowest</li> </ul>	Construction Drawings required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu Ve ne elevations in items a) through must be the same as that used sement, crawlspace, or enclosu tructural member (V Zones only r equipment servicing the buildi location in Comments) next to building (LAG) e next to building (HAG)	s*  Building Un the building is complete. / (with BFE), AR, AR/A, AF uerto Rico only, enter mete ertical Datum: h h) below.  NGVD 1929 I for the BFE. ure floor) y) ng uding structural support	Ider Construction* R/AE, AR/A1–A30, AR/ Ins. P ■ NAVD 1988 ■ C Check 169. 172.6 172.6	<ul> <li>Finished Construction</li> <li>AH, AR/AO. Complete Items C2.a–h</li> <li>ather/Source:</li></ul>	
<ul> <li>C1. Building elevations are based on: <ul> <li>*A new Elevation Certificate will be</li> </ul> </li> <li>C2. Elevations – Zones A1–A30, AE, AI below according to the building diage Benchmark Utilized: <ul> <li>Indicate elevation datum used for the Datum used for building elevations</li> </ul> </li> <li>a) Top of bottom floor (including bases b) Top of the next higher floor</li> <li>c) Bottom of the lowest horizontal s</li> <li>d) Attached garage (top of slab)</li> <li>e) Lowest elevation of machinery on (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade h) Lowest adjacent grade at lowest SE</li> </ul> This certification is to be signed and se information. I certify that the information I understand that any false statement m	Construction Drawing: required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu Ve ne elevations in items a) throug must be the same as that used sement, crawlspace, or enclosu tructural member (V Zones only requipment servicing the buildi location in Comments) next to building (LAG) e next to building (LAG) a next to building (LAG) e next to building (LAG	s*  Building Un the building is complete. / (with BFE), AR, AR, AR, AF uerto Rico only, enter mete ertical Datum: h h) below. NGVD 1929 for the BFE. ure floor) y) ng uding structural support NGINEER, OR ARCHIT eer, or architect authorized my best efforts to interpret prisonment under 18 U.S. e latitude and longitude in sised land surveyor?	Ider Construction* R/AE, AR/A1–A30, AR/ ITS. 9 ■ NAVD 1988 ■ C Check 169. 172.6	Finished Construction AH, AR/AO. Complete Items C2.a–h  ther/Source:      the measurement used.     feet      meters	
<ul> <li>C1. Building elevations are based on: <ul> <li>*A new Elevation Certificate will be</li> </ul> </li> <li>C2. Elevations – Zones A1–A30, AE, Al below according to the building diag Benchmark Utilized: <ul> <li>Indicate elevation datum used for th Datum used for building elevations</li> </ul> </li> <li>a) Top of bottom floor (including base) Top of the next higher floor</li> <li>c) Bottom of the lowest horizontal statched garage (top of slab)</li> <li>e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade h) Lowest adjacent grade at lowest set information. I certify that the information I certify that the information I certify that the information. I certify that the information. I certifier's Name DONN ROWE</li> </ul>	Construction Drawings required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu Ve the elevations in items a) throug must be the same as that used sement, crawlspace, or enclosu tructural member (V Zones only requipment servicing the buildi location in Comments) next to building (LAG) e next to building (HAG) elevation of deck or stairs, inclu CTION D – SURVEYOR, El aled by a land surveyor, engine non this Certificate represents nay be punishable by fine or im ded on back of form.	s*  Building Un the building is complete. V (with BFE), AR, AR/A, AF uerto Rico only, enter meter ertical Datum: h h) below. NGVD 1929 I for the BFE. ure floor) y) ng uding structural support NGINEER, OR ARCHIT eer, or architect authorized my best efforts to interpret prisonment under 18 U.S. e latitude and longitude in the ised land surveyor? License Number	Ider Construction* R/AE, AR/A1–A30, AR/ ITS. 9 ■ NAVD 1988 ■ C Check 169. 172.6	Finished Construction AH, AR/AO. Complete Items C2.a–h  ther/Source:      the measurement used.     feet      meters     feet     meters     meters     feet     meters     meters     meters     meters     meters     meters     meters	
<ul> <li>C1. Building elevations are based on: <ul> <li>*A new Elevation Certificate will be</li> </ul> </li> <li>C2. Elevations – Zones A1–A30, AE, AI below according to the building diage Benchmark Utilized: <ul> <li>Indicate elevation datum used for the Datum used for building elevations</li> </ul> </li> <li>a) Top of bottom floor (including bases b) Top of the next higher floor</li> <li>c) Bottom of the lowest horizontal s</li> <li>d) Attached garage (top of slab)</li> <li>e) Lowest elevation of machinery on (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade h) Lowest adjacent grade at lowest SE</li> </ul> This certification is to be signed and se information. I certify that the information I understand that any false statement m	Construction Drawings required when construction of t H, A (with BFE), VE, V1–V30, V gram specified in Item A7. In Pu Ve the elevations in items a) throug must be the same as that used sement, crawlspace, or enclosu tructural member (V Zones only requipment servicing the buildi location in Comments) next to building (LAG) e next to building (HAG) elevation of deck or stairs, inclu CTION D – SURVEYOR, El aled by a land surveyor, engine non this Certificate represents nay be punishable by fine or im ded on back of form.	s*  Building Un the building is complete. / (with BFE), AR, AR, AR, AF uerto Rico only, enter mete ertical Datum: h h) below. NGVD 1929 I for the BFE. ure floor) // y) ng uding structural support NGINEER, OR ARCHIT eer, or architect authorized my best efforts to interpret prisonment under 18 U.S. e latitude and longitude in 18 used land surveyor? License Number NROWE LLC	Ider Construction* R/AE, AR/A1–A30, AR/ ITS. 9 ■ NAVD 1988 ■ C Check 169. 172.6	Finished Construction AH, AR/AO. Complete Items C2.a–h  ther/Source:      the measurement used.     feet      meters	

## ELEVATION CERTIFICATE, page 2

	apply the corresponding information from	m Soction A		
Ruilding Street Address (including Ar	copy the corresponding information from		FOR INSURANCE COMPANY USE	
34335 HIGHWAY 58	ot., Unit, Suite, and/or Bldg. No.) or P.O. Route ar	IU DUX INU.	Policy Number:	
City GOSHEN	State OR	ZIP Code 97405	Company NAIC Number:	
SECTIO	N D – SURVEYOR, ENGINEER, OR ARCH	ITECT CERTIFICATION	(CONTINUED)	
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.				
Comments REMODEL OF EXISTIN	IG MANUFACTURED HOME AND ADDITION BU	UILDING CONSTRUCTION		
Signature	Date	9		
SECTION E – BUILDING EL	EVATION INFORMATION (SURVEY NOT	REQUIRED) FOR ZONE	AO AND ZONE A (WITHOUT BFE)	
<ul> <li>and C. For Items E1–E4, use natural</li> <li>E1. Provide elevation information for grade (HAG) and the lowest ad a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6–9 with (elevation C2.b in the diagrams</li> <li>E3. Attached garage (top of slab) is</li> <li>E4. Top of platform of machinery and</li> <li>E5. Zone AO only: If no flood dept</li> </ul>	g basement, crawlspace, or enclosure) is g basement, crawlspace, or enclosure) is n permanent flood openings provided in Section A s) of the building is feet me	A Items 8 and/or 9 (see page eters above or below the HAG. feet meters above or below the HAG. feet meters above or below or elevated in accordance w	r meters. on is above or below the highest adjacent above or ☐ below the HAG. above or ☐ below the LAG. above or ☐ below the next higher floor the HAG. above or ☐ below the HAG.	
	N F – PROPERTY OWNER (OR OWNER'S		ERTIFICATION	
or Zone AO must sign here. The state	rized representative who completes Sections A, ements in Sections A, B, and E are correct to the		a FEMA-issued or community-issued BFE)	
Property Owner's or Owner's Authori	zed Representative's Name			
Address	City	S	tate ZIP Code	
Signature	Date	T.	elephone	
Signature Comments			elephone	
Comments The local official who is authorized by I and G of this Elevation Certificate. Cor	Date SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che	RMATION (OPTIONAL) oodplain management ordin	Check here if attachmen ance can complete Sections A, B, C (or E),	
Comments The local official who is authorized by I and G of this Elevation Certificate. Com- neters. G1. The information in Section C authorized by law to certify e G2. A community official completion	SECTION G – COMMUNITY INFO	RMATION (OPTIONAL) oodplain management ordin eck the measurement used i een signed and sealed by a ate of the elevation data in th thout a FEMA-issued or con	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.)	
Comments The local official who is authorized by I and G of this Elevation Certificate. Com- neters. G1. The information in Section C authorized by law to certify e G2. A community official completion	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi	RMATION (OPTIONAL) oodplain management ordin eck the measurement used i een signed and sealed by a ate of the elevation data in th thout a FEMA-issued or con in management purposes.	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.)	
Comments The local official who is authorized by I and G of this Elevation Certificate. Cor neters. Cal. The information in Section C authorized by law to certify e Cal. A community official complet G4. Permit Number	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi ems G4–G10) is provided for community floodpla G5. Date Permit Issued	RMATION (OPTIONAL) oodplain management ordin eck the measurement used i een signed and sealed by a ate of the elevation data in th thout a FEMA-issued or con in management purposes. G6. Date Certificate O	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.) mmunity-issued BFE) or Zone AO.	
Comments The local official who is authorized by I and G of this Elevation Certificate. Con neters. The information in Section C authorized by law to certify e a2. A community official complet a3. The following information (Ite G4. Permit Number A7. This permit has been issued for:	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi ems G4–G10) is provided for community floodpla	RMATION (OPTIONAL) oodplain management ordin eck the measurement used i een signed and sealed by a ate of the elevation data in th thout a FEMA-issued or con in management purposes. G6. Date Certificate O	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.) mmunity-issued BFE) or Zone AO.	
Comments he local official who is authorized by I nd G of this Elevation Certificate. Con- neters. at. The information in Section C authorized by law to certify e a. A community official complet a. The following information (Ite G4. Permit Number G4. Permit Number a. This permit has been issued for: a. Elevation of as-built lowest floor (	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che c was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi ems G4–G10) is provided for community floodpla G5. Date Permit Issued New Construction	RMATION (OPTIONAL) oodplain management ordin eck the measurement used i een signed and sealed by a ate of the elevation data in th thout a FEMA-issued or con in management purposes. G6. Date Certificate O mprovement	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.) mmunity-issued BFE) or Zone AO.	
Comments The local official who is authorized by I and G of this Elevation Certificate. Con neters. A1. The information in Section C authorized by law to certify e Acommunity official complet A3. Acommunity official complet A5. The following information (Ite G4. Permit Number A7. This permit has been issued for: A8. Elevation of as-built lowest floor ( A9. BFE or (in Zone AO) depth of floor	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi ems G4–G10) is provided for community floodpla G5. Date Permit Issued New Construction Substantial In (including basement) of the building:	RMATION (OPTIONAL)         oodplain management ordin         eck the measurement used i         een signed and sealed by a         ate of the elevation data in th         thout a FEMA-issued or con         in management purposes.         G6. Date Certificate O         mprovement         I feet       meters	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.) munity-issued BFE) or Zone AO.	
Comments The local official who is authorized by I and G of this Elevation Certificate. Con neters. A1. The information in Section C authorized by law to certify e A community official complet G2. A community official complet G3. The following information (Ite G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor ( G9. BFE or (in Zone AO) depth of floor	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che c was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi ems G4–G10) is provided for community floodpla G5. Date Permit Issued Substantial In (including basement) of the building:	RMATION (OPTIONAL)         oodplain management ordin         eck the measurement used i         een signed and sealed by a         ate of the elevation data in th         thout a FEMA-issued or con         in management purposes.         G6. Date Certificate O         mprovement         I feet       meters         I feet       meters	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.) nmunity-issued BFE) or Zone AO.	
Comments The local official who is authorized by I and G of this Elevation Certificate. Cor neters. Cal. The information in Section C authorized by law to certify e Cal. A community official complet Cal. Permit Number Cal. Permit Number Cal. Elevation of as-built lowest floor ( Cal. BFE or (in Zone AO) depth of floo Cal. Community's design flood elevation	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi ems G4–G10) is provided for community floodpla G5. Date Permit Issued New Construction Substantial In (including basement) of the building:	RMATION (OPTIONAL)         oodplain management ordin         eeck the measurement used i         eech signed and sealed by a         ate of the elevation data in th         thout a FEMA-issued or con         in management purposes.         G6. Date Certificate O         mprovement         feet       meters         feet       meters         feet       meters	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.) nmunity-issued BFE) or Zone AO.	
Comments The local official who is authorized by I and G of this Elevation Certificate. Cor neters. 31. The information in Section C authorized by law to certify e 32. A community official complet 33. The following information (Ite G4. Permit Number G4. Permit Number G5. This permit has been issued for: G8. Elevation of as-built lowest floor ( G9. BFE or (in Zone AO) depth of floc G10. Community's design flood elevati Local Official's Name	SECTION G – COMMUNITY INFO law or ordinance to administer the community's fl nplete the applicable item(s) and sign below. Che c was taken from other documentation that has be elevation information. (Indicate the source and da ted Section E for a building located in Zone A (wi ems G4–G10) is provided for community floodpla G5. Date Permit Issued New Construction Substantial In (including basement) of the building:	RMATION (OPTIONAL)         oodplain management ordin         eck the measurement used i         een signed and sealed by a         ate of the elevation data in th         thout a FEMA-issued or con         in management purposes.         G6. Date Certificate O         mprovement         feet       meters         feet       meters         feet       meters         feet       meters	Check here if attachmen ance can complete Sections A, B, C (or E), n Items G8–G10. In Puerto Rico only, enter licensed surveyor, engineer, or architect who he Comments area below.) nmunity-issued BFE) or Zone AO.	

## **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, S	Policy Number:	
City	State ZIP Code	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



## Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding in	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.		Policy Number:		
City State	ZIP Code	Company NAIC Number:		
If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs				

with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.